	Hits	Search Text	DBs
1	46	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130 or 375/259 or 375/219 or 379/93.01, 379/90.01, 370/277).ccls. and handshake and modes and dual and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	46	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130 or 375/259 or 375/219 or 379/93.01, 379/90.01, 370/277).ccls. and handshake and modes and dual and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	S143 and (dsl$2 or subscrib$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	15	(US-4599719-$ or US-4658420-$ or US-4924456-$ or US-5103446-$ or US-5349635-$ or US-5377188-$ or US-5632016-$ or US-5867487-$ or US-5987061-$ or US-5995540-$ or US-6065038-$ or US-6374375-$ or US-6023472-$ or US-5825755-$ or US-5675641-$).did.	USPAT
5	45	((half near2 duplex$5) near2 (switch$5 or chang$5) near2 (full near2 duplex$5)) or (half-duplex$5) near2 (switch$5 or chang$5) near2 (full-duplex$5) and @ad<"19990108"	US-PGPUB; USPAT; USOCR
6	1499	((half near2 duplex$5) near2 (full near2 duplex$5)) or (half-duplex$5) near2 (full-duplex$5) and @ad<"19990108"	US-PGPUB; USPAT; USOCR
7	5	("4625276" | "4694450" | "4764940" | "5095494" | "5245441").PN.	US-PGPUB; USPAT; USOCR
8	0	("5867487").URPN.	USPAT
9	0	c?tone$2 and r?flag$2 and (ccitt or (phas$5 near2 (rever$5 or inver$5))) and ((halt$5 or stop$5) near2 transmi$10) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	0	c?tone$2 and r?flag$2 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	26	(hal$5 near6 duplex$5) and (ccitt or (phas$5 near6 revers$5)) and ((halt$5 or stop$5 near2 transmi$10) with (receiv$5 or recep$5)) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	91	(hal$5 near6 duplex$5) and (ccitt or (phas$5 near6 revers$5)) and (halt$5 or stop$5 near2 transmi$10) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	3	((hal$5 near6 duplex$5) near6 (phas$5 near6 revers$5)) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	21	("5349635").URPN. and @ad<"19990108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	8	ccitt and "v.32" and (hal$5 near2 duplex$5) and stat$5 and (phas$5 near6 (revers$5 or inver$5)) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	63	ccitt and "v.32" and (hal$5 near2 duplex$5) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	58	ccitt and "v.32" and (hal$5 near2 duplex$5) and stat$5 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	259	ccitt and "v.32" and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	((hal$5 near6 duplex$5) near6 (phas$5 near6 (revers$5 or inver$10))) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	6	("4215243" | "4471489" | "4599719" | "4680773" | "4782498" | "4931250").PN.	US-PGPUB; USPAT; USOCR
21	28	("5349635").URPN.	USPAT
22	3	((half near6 duplex$5) near6 (phas$5 near6 revers$5)) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	0	(((half near6 duplex$5) near6 (phas$5 near6 revers$5)) near6 (halt$5 or stop$5)) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	((half near2 duplex$5) near2 (phas$5 near2 revers$5)) same (halt$5 or stop$5) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	((half near6 duplex$5) near6 (phas$5 near6 revers$5)) same (halt$5 or stop$5) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	9	S119 not S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	37	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130 or 375/259 or 375/219 or 379/93.01).ccls. and handshake and modes and dual and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	34	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130 or 375/259 or 375/219 or 379/93.01).ccls. and handshake and modes and dual and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	2	ep-513527-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	ep-601260-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	2	"5321722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	ep-820168-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	ep-831624-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	10	(period$5 with (phas$5 near2 revers$5)) and handshak$5 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	4	duplex and (period$5 with (phas$5 near2 revers$5)) and handshak$5 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	(half near2 duplex) and (period$5 with (phas$5 near2 revers$5)) and handshak$5 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	10	(half near2 duplex) and (phas$5 near2 revers$5) and handshak$5 and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	45	(half near2 duplex) and (phas$5 near2 revers$5) and @ad<"19990108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	0	S105 and (half near2 duplex) and (phas$5 near2 revers$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	S105 and (duplex$5) and (phas$5 near2 revers$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	8	S101 or S102 or S103 or S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"5163131".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	2	"5463382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	"5377188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
46	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	2	ep-601260-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	9	c-tones not ctones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	8	ctones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	9	c-tones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	22	(370/296.ccls.) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108") and central and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	170	(370/296.ccls.) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	"5280586".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	2	"4,661,417".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	2	"4771417".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	2	"5377188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	2	"5463382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	23	"5493609".pn. or "5479447".pn. or "4679227".pn. or "5644573".pn. or "5463382".pn. or "5377188".pn. or "5349635".pn. or "4897831".pn. or wo-9810545-$.did. or ep-974202-$.did. or ep-820168-$.did. or "6002722".pn. or wo-9935756-$.did. or ep-820168-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	4	"v.32" and ((predetermined adj interval$1)) and phase$3 and revers$3 and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	7	"v.32" and ((predetermined adj interval$1)) and phase$3 and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	36	"v.32" and ((predetermined adj interval$1)) and phase$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	41	"v.32" and ((predetermined adj interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	0	"v.32" with ((predetermined adj interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	0	"v.32" same ((predetermined adj interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	0	"v.32" and ((phase$3 adj1 revers$3) with (predetermined adj interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	1	("5493609".pn. or "5479447".pn. or "4679227".pn. or "5644573".pn. or "5463382".pn. or "5377188".pn. or "5349635".pn. or "4897831".pn. or wo-9810545-$.did. or ep-974202-$.did. or ep-820168-$.did. or "6002722".pn. or wo-9935756-$.did. or ep-820168-$.did.) and (phase$3 adj1 revers$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	wo-9935756-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
69	2	ep-820168-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	2	ep-820168-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	2	"6002722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	1	ep-974202-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	2	wo-9810545-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	2	"5377188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	2	"4897831".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	5	((375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")) and (phase$1 adj1 revers$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	2	"5479447".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	2	"4679227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
81	2	"5644573".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	2	"5463382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	18	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and xdsl and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	147	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	0	"5280586".pn. and (phase$1 adj1 revers$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	2	"5280586".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	2	"5342635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	12	("5463382".pn. or "5377188".pn. or "5321722".pn. or "5912921".pn. or "6064693".pn.) or "5342635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	10	"5463382".pn. or "5377188".pn. or "5321722".pn. or "5912921".pn. or "6064693".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	2	"5321722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
93	2	"5912921".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	2	"6064693".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	2	"5463382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	2	"5377188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	20	("5479447", "5400322", "5805669", "5910970", "5903608", "5608764", "5715277", "5644573", "5463661", "4680773", "5311578", "5163131", "5448566", "5751914", "5796808", "5757803", "5410343", "5852655", "5781617", "5668857").pn.	USPAT
98	2	wo-9749229-$.did.	EPO; JPO; DERWENT
99	39	("5479447", "5400322", "5805669", "5910970", "5903608", "5608764", "5715277", "5644573", "5463661", "4680773", "5311578", "5163131", "5448566", "5751914", "5796808", "5757803", "5410343", "5852655", "5781617", "5668857").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	6	"5682419".pn. or "5349635".pn. or "4897831".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	2	"4897831".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	2	"5682419".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	5	("3956589" | "3990046" | "4425664" | "4756007" | "4780883").PN.	USPAT
105	19	"4924456".URPN.	USPAT

	Hits	Search Text	DBs
106	26	"5103446".URPN.	USPAT
107	101	((full and half) near2 duplex) and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	334	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	19	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (dual adj mode) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	3096	duplex and communication and (speed or speeds) and (synchronize or synchronization) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	474	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	14	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and dsl and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	6971	duplex and communication and (speed or speeds) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	40067	duplex and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	192	370/296.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
116	70	((half near2 duplex) with (full near2 duplex)) and handshake and (speed or speeds) and analog and digital and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	160	((half near2 duplex) with (full near2 duplex)) and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	1512	(half near2 duplex) with (full near2 duplex) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	30	((half near2 duplex) and (full near2 duplex) and (high near2 speed) and (low near2 speed) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	0	((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	9	(half near2 duplex) and (full near2 duplex) and handshake and (dual near2 (mode or modes)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	88	(half near2 duplex) and (full near2 duplex) and handshake and speeds and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	0	(half near2 duplex) and (full near2 duplex) and handshake and (dual near2 (more or modes)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	256	(half near2 duplex) and (full near2 duplex) and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
125	5	((half near2 duplex) and (full near2 duplex) and xdsl and (((high near2 speed) and (low near2 speed)) or speeds) and (halt or stop or off) and (reconnect or retransmit ore re-connect or re-transmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	2220	(half near2 duplex) and (full near2 duplex) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	11	("5237561" | "5428608" | "5610910" | "5668857" | "5719901" | "5751706" | "5784683" | "5889774" | "5889856" | "5910970" | "5960036").PN.	USPAT
128	2	"6188669".URPN.	USPAT
129	13	("4531238" | "4630288" | "4759018" | "4920533" | "5012467" | "5119372" | "5121382" | "5249183" | "5351241" | "5432775" | "5504738" | "5541964" | "5572511").PN.	USPAT
130	0	"6366567".URPN.	USPAT
131	3	("5311114" | "5432775" | "5825755").PN.	USPAT
132	25	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	1	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and xdsl and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	2	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and (xdsl or dsl) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
135	0	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and (dual adj mode) and handshake and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
136	69	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
137	0	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
138	230	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
139	114	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (speeds or rates) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
140	10	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (speeds or rates) and xdsl and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
141	0	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (halt or stop or off) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	1	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
143	3	((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
144	0	((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<"19990108" or @prad<"19990108" or @ad<"19990108")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB